DAFTAR PUSTAKA

Aburai, N., D. Sumida and K. Abe. 2015. Effect of light level and salinity on the composition and accumulation of free and ester-type carotenoids in the aerial microalga *Scenedesmus sp*. (Chlorophyceae). *Algal Research*. 8 : 30-36

Ahamad, M.N., M. Saleemulah, H.U. Syah, I.A. Khalil and A.U.R. Saljoqi. 2007. Determination of Beta Carotene Content in Fresh Vegetable Using High Performance Liquid Chromatography. *Sarhad J. Agric*., 23(3) : 767-770

Alonso, D.L., E.H. Belarbi, J.M. Fernandez-Sevilla, J. Rodriguez-Ruizand E.M. Grima. 2000. Acyl lipid composition variation related to culture age and nitrogen concentration in continuous culture of the microalgae *Phaeodactylumtricornutum. Phytochemistry*.54 : 461-471

Becker, E.W., 2007. Microalgae as a source of protein.*Biotec.Adv*. 25 : 207-210

Breuer, G., L. de Jaeger, V. P.G. Artus, D. E. Martens, J. Springer, R. B. Draaisma, G., René, H. Wijffels and P.P. Lamers. 2014. Superior triacylglycerol (TAG) accumulation in starchless mutants of Scenedesmusobliquus: (II) evaluation of TAG yield and productivity in controlled photobioreactors. *Biotechnology for Biofuels*. 7(70) : 1-11

Cardoso, L.C., C.M. Serrano1, M.R. Rodríguez1, E.J.M. Ossa and L.M. Lubián. 2012. Extraction of Carotenoids and Fatty Acids from Microalgae Using Supercritical Technology. *American Journal of Analytical Chemistry*.3: 877-883

Carrero, A., G. Vicente, R. Rodriguez, G.L.D. Peso and C. Santos. 2015. Synthesis of fatty acids methyl esters (FAME) from *Nannochloropsisgadinata* microalga using heterogenous acid catalysts. *Biochemical Engineering journal*. 97 : 119-124

Chagas, A.I., A.O. Rios, A. Jarenkow, N.R. Marcilio, M.A.Z. Ayub and R. Rech. 2015. Productions of Carotenoids and Lipids by Dunaliellatertiolecta using CO_2 from Beer Fermentation. *Process Biochemistry*.50 : 981-988

Chan, Y., J.Y. Lee, C.Y. Ahn and H. M. Oh. 2010. Selection of microalgae for lipid production under high levels carbon dioxide. *BioresourceTechnology*.101 : S71-S74.

Chisti, Y., 2007. Biodiesel from microalgae. *Biotechnology advances*. 25 : 294-306

Christaki, E., E. Bonos, I. Giannenas and P. Florou-Paneri. 2013. Functional properties of carotenoids originating from algae. *J. Sci. Food Agric*.,93 : 5-11

Christenson, L and R. Sims. 2011. Production and harvesting of microalgae for wastewater treatment, biofuels and bioproduct. *Biotechnology Advances*. 29 : 686-702

Converti, A., A.A. Casazza, E.Y. Ortiz, P. Perego and M.D. Borghi. 2009. Effect of temperature and nitrogen concentration on the growth and lipid content of *Nannochloropsisoculata* and *Chlorella vulgaris* for biodiesel production. *Chem. Eng. Process*.48 : 1146-1151

David, K., Y. Lim, S. Garg, M. Timins, E.S.B. Zhang, S.R.Thomas-Hall, H. Schuhman, Y. Li and P.M Schenk. 2012. Isolation and Evaluation of Oil-Producing Microalgae from Subtropical Coastal and Brackish Water. *Evaluation of Oil-Producing Microalgae for Biofuel*.7 : 1-12

Dean, A.P., D.C. Sigee, B. Estrada and J.K. Pittman. 2010. Using FTIR spectroscopy for rapid determination of lipid accumulation in response to nitrogen limitation in freshwater microalgae. *Bioresour. Technol*., 101 : 2299-4507

Duong, V.T., Y. Li, E. Nowak and P.M. Schenk. 2012. Microalgae Isolation and Selection for Prospective Biodiesel Production. *Energies*. 5: 1835-1849.

Emeish, S. 2012. Production of Natural β-Carotene from *Dunaliella* living in the Dead Sea.*JJEES*. 4: 23-27.

ESDM.2014. *Indonesia Energy Outlook*. Pusat Data danInformasiSumberDayaEnergidan Mineral. Jakarta

Ghasemnejadmalei, H.M., M. Almassi and N. Nasirian. 2014. Biodiesel production from microalgae and determine properties of produced fuel using standard test fuel. *International of Journal of Biosciences*.5(2) :47-55

Gonzales, L.E., R.O Canizares and S Baena. 1997. Efficiency of Ammonia and Phosphorus Removal from A Colombian Agroindustrial Wastewater by Microalgae *Clhorella Vulgaris* and *ScendesmusDimorphus*. *Biosource Technology*.60 : 259-262

Gouveia, L. and A.C. Oliveira. 2009. Microalgae as a raw material for biofuels production. *J IndMicrobiolBiotechnol*.36 : 269-274

Gouveia, L., Microalgae as a Feedstock for Biofuel. 2011. *Springer*.

Grama, B.S., S. Chader, D. Khelifi, B. StenuitC.Jaffryes and S.N. Agathos.2014.Characterization of fatty acid and carotenoid production in an *Acutodesmus* microalgae isolated from the Algerian Sahara. *Biomass and Bioenergy*.69 : 265-275

Guedes, A.C., H.M.Amaro, and F.X. Malcata. 2011. Microalgae as Sources of Carotenoids. *Mar. Drugs 2011*. 9: 625-644

Hambali, E., S. Mudjalifah, A.H. Tambunan, A.W. Pattiwiridan R. Hendroko. 2008. TeknologiBioenergi. *AgromediaPustakajakarta:* 1-37

Harun, R., M. Singh, G. Forde and M.K. Danquah. 2010. Bioprocess engineering of Microalgae to Produce a Variety of Consumer Product :*Review. Renewable and Sustainable Energy*. 14 : 1037-1047

Hifney, A.F., A.A. Issadan M.A.Fawzy. 2013. Abiotic stress induced production of β-carotene, allophycocyanin and total lipids in *Spirulina*sp. *J. Biol. Earth Sci.*,3 : B54-B64

Hosikian, A., S. Lim, R. Halim and M.K. Danquah, 2010. Chlorophyll extraction from microalgae: a review on the process engineering aspects. *Int. J. Chem. Eng.*2010,11.

Hu, Q., M.Sommerfeld, E. Jarvis, M. Ghirardi, M. Povewitz, M. Seibert and A. Darzins. 2008. Microalgaltriacylglycerols as feedstocks for biofuel production : perspectives and advances. *The Plant Journal*.54 : 621-639.

Indhumathi, P., S.S. Shabuden and U.S. Shoba . 2014. A Method for Production and Characterization of Biodiesel from Green Microalgae. *International Journal of Bio-Science and Bio-Technology*. 6(5) : 111-122.

Kareem, H.A, H. Uthman, A.S. Afolabi, and O.I. Awonebe. 2011. Sustainable Growth and Application in Renewable Energy Sources. *In Tech*., 243-268

Kumar S., Sangwan P., Dhankhar R. Mor V., and Bidra S. 2013. Utilization of Rice Husk and Their Ash: A Review. *Res. J. Chem. Env. Sci*., 1(5) : 126-129

Kumar, M.S., A. Ramesh and B.Nagalingam. 2003. An experimental comparison of methods to use methanol and Jatropha oil in a compression ignition engine. *Biomass and Bioenergy*. 25(3) : 309-318.

Laurens, L.M.L., M.Quinn., S. V. Wychen., D. W. Templeton and E. J. Wolfrum. 2012. Accurate and reliable quantification of total microalgae fuel potential as fatty acid methyl esters by in situ transesterification. *Anal Bioanal Chem*., 403: 167-178.

Lee, T.H and H.Y. Wang. 2014. Simultaneous quantification of cellulair lipids and carotenoids inside *Chlorella vulgaris* using Raman spectrometry. *Energy Procedia*.61 : 829-833.

Lee, Y., W. Chen and H. Sen. 2013.Basic Culturing and AnalitycalMeasurements Techniques.*Handbook of Microalgal Culture*.37-68.

Lemasson, C., N. T. DE Marsct, and G. Cohen-B. 1973. Role of Allophycocyanin as a Light-Harvesting Pigment in Cyanobacteria. *Proc. Nat. Acad. Sci. USA.* 70(11) : 3130-3133.

Leyla, U., O. Isik, K. Koc and T. Goksan. 2011. The Effect of Nitrogen Deficiencies on The Lipid and Protein Content of *Spirulinaplantesis*. *African Journal of Biotechnology*. 10 (3) : 386-389

Li, Y., M. Horsmand and N. Wu., 2008.Biofuel from Microalgae.*Biotechnol*., 24 : 815-820

Liang,Y., N.Sarkany and Y.Cui. 2009. Biomass and lipid productivities of *Chlorella vulgaris* under autotrophic, heterotrophic and mixotrophic growth conditions. *Biotechnol Let.*, 31 : 1043-1049.

Liau, B.C,. F. P.Liang, S.E. Hong, S. L. Hsu, T. T. Jong and C. M. J. Chang. 2010. Supercritical fluids extraction and anti-solvent purification of carotenoid from microalgae and associated bioactivity. *Journal of Supercritical Fluids.*55 : 169-175.

Liu, Z., C. Liu, Y. Hou, S. Chen, D. Xiao, J. Zhang and F. Chen. 2013. Isolation and Characterization of a Marine Microalga for Boiofuel Production with Astaxanthin as Co-Product. *Energies.*6 : 2759-2772.

Lordan, S., R. P. Ross and C.R. Stanton. 2011. Marine bioactives as functional food ingredients: potential to reducethe incidence of chronic diseases. *Mar. Drugs*.9 :1056-1100

Mandal, S. and N. Mallick. 2011. Waste Utilization and Biodiesel Production by the GreenMicroalga *Scenedesmusobliquus*. *Applied and Environmental Microbiology*.77(1): 374–377

Markon, G., I. Angelidaki, E. Nerantzis and D. Georgakaki. 2013. Bioethanol Production by Carbohydrate-Enriched Biomass of *Arthrospira (Spirulina) platensis*. *Energies.*6 : 3937-3950

Mata, T. M., R. Almeida and N. S.Caetano. 2013. Effect of the Culture Nutrientson the Biomass and Lipid Productivities of Microalgae *Dunaliellatertiolecta.Chemical Engeenering Transaction*.32 : 973-978.

Maurya, S.S., J.N. Maurya and V.D.Pandey. 2014. Factors regulating phycobiliprotein production in cyanobacteria. *Int.J.Curr. Microbiol. App.Sci.* 5 : 764-771

Milledge, J.J. 2011. Commercial application of microalgae other than as biofuels : a brief review. *Rev Environ SciBiotechnol*. 10 : 31-41.

Munaf, E and R. Zein. 1997. The Use of Rice Husk for Removal of Toxic Metals from Wastewater. *Environmental Technology*.18 : 359-362

Musharraf, S.G., M.A. Ahmed, N. Zehra, N. Kabir, M.I. Choudhary and A. Rahman. 2012. Biodiesel Production from Microalgae isolates of Southhern Pakistan and Quantification of FAMEs by GC-MS/MS Analysis. *Chemistry Central Journal*. 6(149) : 1-10

Mustapha, Y and S.R. Babura. 2009. Determination of carbohydrate and beta carotene content of some vegetables consumed in Kano metropolis, Nigeria. *Bayero Journal of Pure and Applied Sciences*. 2(1) : 119-121.

Nigam, S., M.P. Rai and R. Sharma. 2011. Effect of Nitrogen on Growth and Lipid Content of *Chlorella pyrenoidosa*. *American Journal of Biochemistry and Biotechnology*. 7(3) : 124-129

Nubel. U., F.G –PichelL and G. Muyzer. 1997. PCR Primers To Amplify 16S rRNA Genes from Cyanobacteria. *APPLIED AND ENVIRONMENTAL MICROBIOLOGY*.63(8) : 3327–3332.

Patil, V., Q. Tran and K. Giselrod. 2008. Towards Sustainable Production of Biofuels from Microalgae. *International Journal of Molecular Science.*9 : 1188-1195

Pisal, D.S and S.S. Lele. 2005. Carotenoid production from microalgae, *Dunaliellasalina*. *Indian Journal of Biotechnology*.4 : 476-483

Pittman, J.K., A.P. Dean and O. Osundeko. 2010. The Potential of Sustainable Algal Biofuel Production Using Wastewater Resources. *Biosource Technology*. 1-9

Rajasri, Y., R.S. Rao and C.S.Rao. 2013. Lipid Productivity of *Chlorella pyrenoidosa* in A Customized Lab Scale PhotobioreactorUnder Stress Conditions. *International Journal of ChemTechReseach*. 5(2) : 719-726.

Reda, A.I., A. Shanab, J.H. Hwang, Y. Cho, B. Min and B.H.H. Jeon. 2011. Characterization of microalgae species isolated from fresh water bodies as a potential source for biodiesel production. *Applied Energy*.88 : 3300-3306

Refaat, A.A., S.T. El Sheltawy and K.U. Sadek. 2008. Optimum reaction time, performance and exhaust emissions of biodiesel produced by microwave irradiation. *International Journal of Environmental Science and Technology*. 5 (3) : 315-322

Ren, H.Y., B.F. Liu, C. Ma, L. Zhao and N.Q. Ren. 2013. A new lipid –rich microalgae *Scenedesmus sp*. Strain R-16 isolated usingNile red staining: effect of carbon and nitrogen sources and initial pH on the biomass and lipid production. *Biotechnology for Biofuels*. 6:1-10

Richmond, A., 2004. *Handbook of microalgal culture*. Biotechnology and Applied Phycology. Blackwell Science Ltd.

Richmond, A and Q. Hu.2013. *Handbook of Microalgae Culture*. Applied Phycocology and Biotechnology.Wiley Blackwell.

Sanjay, K.R., N.P.M.Nagendra, S. Anupama, B.R. Yashaswi and B. Deepak . 2013. Isolation of diatom *Naviculacryptocephala* and characterization of oil extracted for biodiesel production. *African Journal of Environmental science and Technology*. 7(1) : 41-46.

Sato, N., M. Hagio, H. Wada and A.M. Tsuzuki. 2000. Environmental effects on acidic lipids of tylakoid membranes. *Biochem.Soc.Trans*., 28 : 912-914

Sharma, K.K., H.Schuhmann and P.M. Schenk. 2012.High Lipid Induction in Microalgae for Biodiesel Production. *Energy*.5 : 1532-1553.

Singh, D.K and N. Mallick. 2014. Accumulation potential of lipids and analysis of fatty acid profile of few microalgal species for biodiesel feedstock..*Journal of Microbiology and Biotechnology Research*. 4(1) : 37-44.

Singh, P., A.Guldhe, S. Kumari, I. Rawat and F. Bux. 2015. Investigation of combined effect of nitrogen, phosphorus and iron on lipid productivity of microalgae *Ankistrodesmusfalcatus* KJ671624 using response surface methodology. *Biochemical Engineering Journal*.94 :. 22-29.

Sivathanu, B and S.Palaniswamy. 2012. Purification and characterization of carotenoids from green algae *Chlorococcumhumicola* by HPLC-NMR and LC-MS-APCI. *Biomedicine & Preventive Nutrition*.2 : 276-282.

Skjanes, K., C. Reboursdan P.Lindblad. 2013. Potential for green microalgae to produce hydrogen, pharmaceuticals and other high value products in a combined process.*Crit. Rev. Biotechnol*. 33 :172-215.

Stengel, D.B., S. Connan, Z.A. Popper, 2011. Algal chemodiversity and bioactivity: sources of natural variability and implications for commercial application. *Biotechnol.Adv*.29 : 483-501

Susanty, D., K. Oh-Hashi, Y. Yamaguci, K. Tanaka, S. Yoshida, A. Dharma, E. Munaf and M. Koketsu. 2013. Isolation, Identification and Fatty acid Analysis of Microalgae from West Sumatera, Indonesia. *J. Algal Biomass Utln.* 4(4) ; 7-13

Sydney, E.B., T.E.D. Silva, A. Tokarski, A.C. Novak, J.C.D. Carvalho, A.I. Woiciecohwski, C. Larroche and C.R. Soccol. 2011. Screening of microalagaewith potential for biodiesel production and nutrient removal from treated domestic sewage. *Applied Energy*.88 : 3291-3294

Tadashi, M., M.M.Y. Maeda, H. Sugiyama, R Sato and T.Tanaka, 2009. Characterization of marine microalga, *Scenedesmus sp*. strain JPCC GA0024 toward biofuel production. *BiotechnolLett*., 31 : 1367–1372.

Talab, H. A., M.A.A. Motallebidan R. Pourgholam.2010. Extraction and Purification of Omega-3 Fatty Acids Concentrate from Hypophthalmichthysmolitrix Oil. *EmeraldGroup Publishing Limited Nutrition & Food Science*. 40(2) : 93-103

Tang, G. and P.M. Suter. 2011. Vitamin A, Nutrition and Health value of Algae: *Spirulina, Chlorella andDunaliella*. *Journal of Pharmacy and Nutrition Sciences 2011*.1 : 111-118.

Teresa, M.M, A.A. Martins and N. S.Caetano. 2010. Microalgae for biodiesel production and other applications : A review. *Renewable and Sustainable Energy Reviews*.14 :. 217-232.

Thomson, G.A. 1996. Lipids and membrane function in green algae. *Biochim.Biophys.Acta*.1302 : 17-45

Ullah, N., A.Khan, F.A. Khan, M. Khurram, M. Hussam, S. M. U.Khayam, M.Amin and J. Hussain. 2011. Composition and Isolation of Beta Carotene from Different Vegetables and Their Effect on Human Serum Retinal Level. *Middle-East Journal Scientific Research*. 9(4) : 496-502.

Varela, J.C., H. Pereira. M. Vila and R. Leon. 2015. Production of carotenoids by microalgae : achievements and challenges. *Photosynth Res*. 1-14

Varitha, A., A. Dharma, E. Munaf, N. Nasir and Afrizal. 2013. Isolation Oil Producing Microalgae *Chlamidomonassnowii* from Tropical Fresh Water, Indonesia. *Research Journal of Pharmaceutical, Biological and Chemical Science*.4 : 1462-1470

Widjaja, A., C.C. Chien and Y.H. Ju. 2009. Study of increasing lipid production from fresh water microalgae *Chlorella vulgaris.Journal of Taiwan Institute of Chemical Engineers*.40 : 13-20

Xiaodan, W., R.R Zhenyi-Du and Y.Liu. 2012. Current Status and Prospects of Biodiesel Production from Microalgae. *Energies.*5 : 2667-2682.

Xue, J., Y.F. Niu, T. Huang, W.D. Yang, J.S. Liu and H.Y. Li. 2015.Genetic improvement of the microalgae *Phaeodactylumtricornutum* for boosting neutral lipid accumulation.*Metabolic Engineering*.27 : 1-9

Yang, X., P. Liu, Z. Hao, J. Shi and S. Zhang. 2012. Characterization and Identification of Freshwater Microalgal Strains toward Biofuel Production. *Bioresources*. 7 (1) : 686-695

Ying H. H., X. Li, Y. Yu, Y.H. Wu, M.Sagehashi and A. A. Skoda. 2011. Domestic Wastewater Reclamation Coupled with Biofuel/Biomassa Production Based Microalga: A novel treatment prosess in the future. *Journal of Water and EnvirontmentTechnology*. 9 (12) : 199-206.

Yuan, C., J.Liu, Y. Fan, X. Ren, G. Hu and F. Li. 2011. *Mychonastesafer*HSO-3-1 as a potential new source of biodiesel.*Biotechnology for Biofuels.*4(47) : 1-8